Donghuan Power Technology Co.,Ltd.

Ningbo Donghuan Power Technology Co.,Ltd. is a professional China construction power tools and equipments manufacturers, We supply power tools including stringing block,cable roller,conductor gripper,hoisting tackle,gasoline powered winch,hydraulic puller and tensioner,gin poles,cable drum jack and other related tools and machines.Our quality equipments are applicable to foundation construction,tower erection,overhead transmisson line,aerial and underground constuction,electical cable and optical fiber construction.Warmly welcome friends to negotiate business!



Our company principle: Quality Products, Honest Service, Reasonable Prices, Quick Response, Good After-sales!

Company Profile

Ningbo Donghuan Power Technology Co., Ltd. is a research and development, production and sales: Stringing Block, Hoisting Tackle, Wire Grip, Reel Stand, Inspection Trolleys, Tightening Tools, Connector, Shackle, Lifter, Head Boards For Conductors, Mesh Sock Joints, Powered-winch, Press-machine, and other construction tools and equipment company for electric power construction. At the same time, agents of various imported construction tools and power equipment.

Company covers an area of more than 28000 square meters, construction area of more than 8000 square meters, the company is located in Zhejiang Fenghua Economic Development Zone Xiwu Park, with three expressway exit Fenghua, 20 kilometers away from the urban area of Ningbo, 20 kilometers away from Ningbo Lishe Airport, 18 kilometers away from the national AAAA level scenic Xikou, 30 kilometers away from the international deepwater port - Beilun port.

There are more than 200 employees in the group company. Among them, there are more than 50 senior and mid-level titles, technicians and managers. In July 2004, the company set up municipal engineering technology research and development center and used "center" as technological support for research and development of various new products.

Hot Product

PRODUCT DESCRIPTION

660mm Large Diameter Wheels Sheaves Bundled Wire Conductor Pulley Stringing Block

Usage: Protect the cable and conductor from fricting when they are laying. They can save time and effort. 1. Maximum suitable conductor ACSR500 2. Sheave dimension(outside diameter× rootdiameter × sheave width) Φ660×Φ560×100(mm) 3. Sheave dimension Φ660×Φ560×110(mm) can be customized

Item number	Model	Number of sheaves	Rated load (kN)	Weight (kg)	Features
10121	SHD660	1	20		30	Rubber lined aluminium sheave
10122	SHS660	3	40		100	Middle : Cast steel sheave
10123	SHW660	5	60		150	Conductor : Rubber lined aluminium sheave
10124/10124A	SHDN660	1	20		26	MC nylon sheave
10125	SHSLN660	3	40		86	Middle : MC nylon sheave
10126	SHWLN660	5	60		120	Conductor : Rubber lined aluminium sheave
10127/10127A	SHSQN660	3	40		70	MC nylon sheave
10128/10128A	SHWQN660	5	60		110	
10130	SHQ660A	7	75		190	Middle :cast steel sheave Conductor : MC nylon sheave



CONTACT US

International Trade: +86-13958364836

Technical Service: +86-13957826033

Internal Trade: +86-15372648917

Add: NO.61 Xiachen'an Road, Xiwu Street, Fenghua District, Ningbo, China. 315505

E-mail: sales@nbdhdl.com

Web: https://www.chinapower-tools.com